



Ibis Mojo HD3 build kit specifications - **Special Blend**

Item:	Supplier:	Description:	MPN:
Rear Derailleur	Shimano	RD-M675, SLX DIRECT MOUNT TYPE, SGS 10-SPD SHADOW + DESIGN	KRDM675SGS
Front Derailleur	Shimano	FD-M611-D, DEORE, DOWN-SWING, TOP-PULL, DIRECT MOUNT TYPE,CS-ANGLE: 66-69, FOR 40/42T, BLACK	KFDM611TD6L
Shift Levers	Shimano	SL-M610-I, DEORE LEFT, DIRECT ATTACH TO BL, 2/3-SPEED, 1800MM INNER, W/O OPTICAL GEAR DISPLAY, BLK	KSLM610ILB
Shift Levers	Shimano	SL-M610-I, DEORE RIGHT, DIRECT ATTACH TO BL, 10-SPEED, 2050MM INNER, W/O OPTICAL GEAR DISPLAY, BLK	KSLM610IRA
SL Adapter	Shimano	N/A	
Cassette	Shimano	CS-HG62-10, 10-SPEED 11-13-15-17-19-21-24-28-32-36T (BK)	KCSHG6210136
Chain	Shimano	CN-HG54 HG FOR MTB 10-SPD 116 LINKS, W/AMPOULE TYPE CONNECT PIN X1, IND.PACK	ICNHG54116I
Brakes	Shimano	DISC-BRAKE SET, SHIMANO LOGO, BL-M615(L), BR-M615(F),W/SM-MA-F180P/P2 RESIN PAD(W/O FIN), 800MM HOSE(SM-BH90-SS BLACK)	AM615NF9RX080
Brakes	Shimano	ROTOR FOR DISC-BRAKE, SM-RT56 M 180MM, 6-BOLT TYPE, FOR RESIN PAD ONLY	ASMRT56M
Brakes	Shimano	DISC-BRAKE SET, SHIMANO LOGO, BL-M615(R), BR-M615(R), W/O ADAPTER, RESIN PAD(W/O FIN), 1400MM HOSE(SM-BH90-SS BLACK)	AM615TRRX140
Brakes	Shimano	ROTOR FOR DISC-BRAKE, SM-RT56 S 160MM, 6-BOLT TYPE, FOR RESIN PAD ONLY	ASMRT56S
Brakes		N/A	
Housing	Jagwire	Derailleur Cable Housing Kit	PQ-970721-01
Headset	Cane Creek	Cane Creek 40.ZS44/ZS56 Headset	CAA0533K-03
Cranks	Race Face	Respond 24/36, Bash 10-spd 175 Black	OCK12RSD10BD175BLK
Bottom Bracket		N/A	
H/Bar	Ibis	Premetec DH 31.8 AL-7075 T6 710 wide low-rise w/ Ibis laser logo 7068D	7068D
Stem	Ibis	MS-13 with Ibis Logos	MS-13
Grips	LizardSkins	Logo Lock-On	
Seat Post	Ibis	31.6 x 350 L, 7075 SB BLK ANODIZED w/o Logo	Smica-pro post
Saddle	Ibis	Ibis Proprietary Saddle	VL-1376
Wheels	STA-TRU	ZTR Rapid 650b Rim 32H Black	
Tires (front)	Maxxis	27.5 x 2.30 Minion DHF F60 3C/EXO TR	TB85925200
Tires (Rear)	Maxxis	27.5 x 2.30 Minion DHF F60 3C/EXO TR	TB85925200
Tubes	Stan's	2 x 2 oz bottles of Stan's Sealant	KT0043
Tubes			
Fork	X-Fusion	Sweep RL	
Shock	X-Fusion	O2 RLX	

Item:	Supplier:	Description:	MPN:
Rear Derailleur	Shimano	RD-M786, DEORE XT SGS 10-SPEED TOP-NORMAL SHADOW PLUS DESIGN, DIRECT ATTACHMENT, BLACK	KRDM786SGSL
Front Derailleur	Shimano	FD-M786D-T-L, DEORE XT, DOWN-SWING, TOP-PULL, DIRECT MOUNT TYPE, CS-ANGLE:66-69, FOR 38/44T, BLACK	KFDM786TD6L
Shift Levers	Shimano	SL-M780-B-IL, DEORE XT, LEFT, DIRECT ATTACH TO BL, 3/2-SPEED 1800MM INNER, W/O OPTICAL GEAR DISPLAY	KSLM780BILB
Shift Levers	Shimano	SL-M780-B-IR, DEORE XT, RIGHT, DIRECT ATTACH TO BL, 10-SPEED 2050MM INNER, W/O OPTICAL GEAR DISPLAY	KSLM780BIRA
SL Adapter	Shimano	N/A	
Cassette	Shimano	CS-M771-10, DEORE XT, 10-SPEED 11-13-15-17-19-21-24-28-32-36T (BK)	KCSM77110136
Chain	Shimano	CN-HG95 SUPER NARROW HG FOR MTB 10-SPEED 116 LINKS, W/O END PIN, W/AMPOULE TYPE CONNECT PIN X1, IND.PACK	ICNHG95116I
Brakes	Shimano	BL-M785-B-L(L), BR-M785L(F) FOR POST MOUNT METAL PAD(W/FIN),SMBH90SB 800MM(BLACK) W/ OLIVE/CONNECTING INSERT, BLACK	KM785BMFPNX080
Brakes	Shimano	ROTOR FOR DISC-BRAKE, SM-RT86, M 180MM 6-BOLT TYPE	KSMRT86M2
Brakes	Shimano	BL-M785L(R), BR-M785L(R) W/O ADAPTER METAL PAD(W/FIN),SMBH90SB 1500MM(BLACK) ADD OLIVE/CONNECTING INSERT, BLACK	KM785BSRXNX150
Brakes	Shimano	ROTOR FOR DISC-BRAKE, SM-RT86, S 160MM 6-BOLT TYPE	KSMRT86S2
Brakes	Shimano	ADAPTER FOR DISC BRAKE, SM-MA90-F180P/P, FIXING BOLT(LONG X1, SHORT X1), WIRE X1, WASHER-A X2, WASHER-B X2	KSMMA90F180PP
Housing	Jagwire	Derailleur Cable Housing Kit	PQ-970721-01
Headset	Cane Creek	Cane Creek 40.ZS44/ZS56 Headset	CAA0533K-03
Cranks	Race Face	Turbine Cinch, 24/36, 175, Black, 10/11-Spd	OCK14TUR2X2C175BLK
Bottom Bracket	Race Face	Race Face BSA Threaded BB	OBBSA7330B6
H/Bar	Ibis	Ibis Carbon Handlebar - 740mm width Hi-Fi (riser) or Lo-Fi (Flat) 9°x5°	
Stem	Thomson	Thomson 40	SM-E174 BLACK
Grips	Lizardskins	Logo Lock-On	
Seat Post	KS	LEV Integra 31.6 150 L435 with KGP remote	
Saddle	Ibis	Ibis Proprietary Saddle	VL-1376
Wheels	STA-TRU	ZTR Flow 650b Rim 32H Black	PR65Flow542
Tires (front)	Maxxis	27.5 x 2.30 Minion DHF F60 3C/EXO TR	TB85925200
Tires (Rear)	Maxxis	27.5 x 2.30 Minion DHF F60 3C/EXO TR	TB85925200
Tubes	Stan's	2 x 2 oz bottles of Stan's Sealant	KT0043
Tubes			
Fork	Rock Shox	FS PIKE RCT3 27 15 SA 150 BLK T CRN	00.4018.270.029
Shock	Fox	2015, FLOAT-K F-S, CTD-Adj BV LV, Ibis, Mojo B, 7.875, 2.250, 0.9 Spacer, VTM, RTM, 175, 16	972-70-016

Item:	Supplier:	Description:	MPN:
Rear Derailleur	Shimano	RD-M786, DEORE XT SGS 10-SPEED TOP-NORMAL SHADOW PLUS DESIGN, DIRECT ATTACHMENT, BLACK	KRDM786SGSL
Front Derailleur	Shimano	FD-M786D-T-L, DEORE XT, DOWN-SWING, TOP-PULL, DIRECT MOUNT TYPE, CS-ANGLE:66-69, FOR 38/44T, BLACK	KFDM786TD6L
Shift Levers	Shimano	SL-M780-B-IL, DEORE XT, LEFT, DIRECT ATTACH TO BL, 3/2-SPEED 1800MM INNER, W/O OPTICAL GEAR DISPLAY	KSLM780BILB
Shift Levers	Shimano	SL-M780-B-IR, DEORE XT, RIGHT, DIRECT ATTACH TO BL, 10-SPEED 2050MM INNER, W/O OPTICAL GEAR DISPLAY	KSLM780BIRA
SL Adapter	Shimano	N/A	
Cassette	Shimano	CS-M771-10, DEORE XT, 10-SPEED 11-13-15-17-19-21-24-28-32-36T (BK)	KCSM77110136
Chain	Shimano	CN-HG95 SUPER NARROW HG FOR MTB 10-SPEED 116 LINKS, W/O END PIN, W/AMPOULE TYPE CONNECT PIN X1, IND.PACK	ICNHG95116I
Brakes	Shimano	BL-M785-B-L(L), BR-M785L(F) FOR POST MOUNT METAL PAD(W/FIN),SMBH90SB 800MM(BLACK) W/ OLIVE/CONNECTING INSERT, BLACK	KM785BMFPNX080
Brakes	Shimano	ROTOR FOR DISC-BRAKE, SM-RT86, M 180MM 6-BOLT TYPE	KSMRT86M2
Brakes	Shimano	BL-M785L(R), BR-M785L(R) W/O ADAPTER METAL PAD(W/FIN),SMBH90SB 1500MM(BLACK) ADD OLIVE/CONNECTING INSERT, BLACK	KM785BSRXNX150
Brakes	Shimano	ROTOR FOR DISC-BRAKE, SM-RT86, S 160MM 6-BOLT TYPE	KSMRT86S2
Brakes	Shimano	ADAPTER FOR DISC BRAKE, SM-MA90-F180P/P, FIXING BOLT(LONG X1, SHORT X1), WIRE X1, WASHER-A X2, WASHER-B X2	KSMMA90F180PP
Housing	Jagwire	Derailleur Cable Housing Kit	PQ-970721-01
Headset	Cane Creek	Cane Creek 40.ZS44/ZS56 Headset	CAA0533K-03
Cranks	Race Face	Turbine Cinch, 24/36, 175, Black, 10/11-Spd	OCK14TUR2X2C175BLK
Bottom Bracket	Race Face	Race Face BSA Threaded BB	OBBSA7330B6
H/Bar	Ibis	Ibis Carbon Handlebar - 740mm width Hi-Fi (riser) or Lo-Fi (Flat) 9°x5°	
Stem	Thomson	Thomson 40	SM-E174 BLACK
Grips	Lizardskins	Logo Lock-On	
Seat Post	KS	LEV Integra 31.6 150 L435 with KGP remote	
Saddle	Ibis	Ibis Proprietary Saddle	VL-1376
Wheels	Ibis	741 Wheelset	
Tires (front)	Maxxis	27.5 x 2.30 Minion DHF F60 3C/EXO TR	TB85925200
Tires (Rear)	Maxxis	27.5 x 2.30 Minion DHF F60 3C/EXO TR	TB85925200
Tubes	Stan's	2 x 2 oz bottles of Stan's Sealant	KT0043
Tubes			
Fork	Fox	2015 36 K Float 27.5 F-S 160 RC2 Fit Blk Rainbow Logo 15QR 1.5T 44 Rake OE	910-03-804
Shock	Cane Creek	CAD 1225 - DBair InLine CS 200x57 (7.875 x 2.25)	CAD 1225

Item:	Supplier:	Description:	MPN:
Rear Derailleur	SRAM	RD X0 1X11SPD CARBON BLK	00.7518.027.000
Front Derailleur			
Shift Levers			
Shift Levers	SRAM	SL TRIGGER X1 11SPD RR W/O CLAMP BLK	00.7018.117.000
SL Adapter	SRAM	SL X0 TRIGGER DISCRETE CLAMP	11.7015.064.000
Cassette	SRAM	XG 1180 10-42	00.2418.039.000
Chain	SRAM	CN PCX1 114LI W/ PWR.LCK 11S 50PCS	00.2518.008.002
Brakes	Shimano	BL-M785-B-L(L), BR-M785L(F) FOR POST MOUNT METAL PAD(W/FIN),SMBH90SB 800MM(BLACK) W/ OLIVE/CONNECTING INSERT, BLACK	KM785BMFPNX080
Brakes	Shimano	ROTOR FOR DISC-BRAKE, SM-RT86, M 180MM 6-BOLT TYPE	KSMRT86M2
Brakes	Shimano	BL-M785L(R), BR-M785L(R) W/O ADAPTER METAL PAD(W/FIN),SMBH90SB 1500MM(BLACK) ADD OLIVE/CONNECTING INSERT, BLACK	KM785BSRXNX150
Brakes	Shimano	ROTOR FOR DISC-BRAKE, SM-RT86, S 160MM 6-BOLT TYPE	KSMRT86S2
Brakes	Shimano	ADAPTER FOR DISC BRAKE, SM-MA90-F180P/P, FIXING BOLT(LONG X1, SHORT X1), WIRE X1, WASHER-A X2, WASHER-B X2	KSMMA90F180PP
Housing	Jagwire	Derailleur Cable Housing Kit	PQ-970721-01
Headset	Cane Creek	Cane Creek 40.ZS44/ZS56 Headset	CAA0533K-03
Cranks	Race Face	Turbine Cinch DM30 175 Blk 10/11 Spd	OCK14TURDM30175BLK
Bottom Bracket	Race Face	Race Face BSA Threaded BB	OBBBSA7330B6
H/Bar	Ibis	Ibis Carbon Handlebar - 740mm width Hi-Fi (riser) or Lo-Fi (Flat) 9°x5°	
Stem	Thomson	Thomson 40	SM-E174 BLACK
Grips	Lizardskins	Logo Lock-On	
Seat Post	KS	LEV Integra 31.6 150 L435 with KGP remote	
Saddle	Ibis	Ibis Proprietary Saddle	VL-1376
Wheels	STA-TRU	ZTR Flow 650b Rim 32H Black	PR65Flow542
Tires (front)	Maxxis	27.5 x 2.30 Minion DHF F60 3C/EXO TR	TB85925200
Tires (Rear)	Maxxis	27.5 x 2.30 Minion DHF F60 3C/EXO TR	TB85925200
Tubes	Stan's	2 x 2 oz bottles of Stan's Sealant	KT0043
Tubes			
Fork	Rock Shox	FS PIKE RCT3 27 15 SA 150 BLK T CRN	00.4018.270.029
Shock	Fox	2015, FLOAT-K F-S, CTD-Adj BV LV, Ibis, Mojo B, 7.875, 2.250, 0.9 Spacer, VTM, RTM, 175, 16	972-70-016

Item:	Supplier:	Description:	MPN:
Rear Derailleur	SRAM	RD XO 1X11SPD CARBON BLK	00.7518.027.000
Front Derailleur			
Shift Levers			
Shift Levers	SRAM	SL TRIGGER X1 11SPD RR W/O CLAMP BLK	00.7018.117.000
SL Adapter	SRAM	SL XO TRIGGER DISCRETE CLAMP	11.7015.064.000
Cassette	SRAM	XG 1180 10-42	00.2418.039.000
Chain	SRAM	CN PCX1 114LI W/ PWR.LCK 11S 50PCS	00.2518.008.002
Brakes	Shimano	BL-M785-B-L(L), BR-M785L(F) FOR POST MOUNT METAL PAD(W/FIN),SMBH90SB 800MM(BLACK) W/ OLIVE/CONNECTING INSERT, BLACK	KM785BMFPNX080
Brakes	Shimano	ROTOR FOR DISC-BRAKE, SM-RT86, M 180MM 6-BOLT TYPE	KSMRT86M2
Brakes	Shimano	BL-M785L(R), BR-M785L(R) W/O ADAPTER METAL PAD(W/FIN),SMBH90SB 1500MM(BLACK) ADD OLIVE/CONNECTING INSERT, BLACK	KM785BSRXNX150
Brakes	Shimano	ROTOR FOR DISC-BRAKE, SM-RT86, S 160MM 6-BOLT TYPE	KSMRT86S2
Brakes	Shimano	ADAPTER FOR DISC BRAKE, SM-MA90-F180P/P, FIXING BOLT(LONG X1, SHORT X1), WIRE X1, WASHER-A X2, WASHER-B X2	KSMMA90F180PP
Housing	Jagwire	Derailleur Cable Housing Kit	PQ-970721-01
Headset	Cane Creek	Cane Creek 40.ZS44/ZS56 Headset	CAA0533K-03
Cranks	Race Face	Turbine Cinch DM30 175 Blk 10/11 Spd	OCK14TURDM30175BLK
Bottom Bracket	Race Face	Race Face BSA Threaded BB	OBBBSA7330B6
H/Bar	Ibis	Ibis Carbon Handlebar - 740mm width Hi-Fi (riser) or Lo-Fi (Flat) 9°x5°	
Stem	Thomson	Thomson 40	SM-E174 BLACK
Grips	Lizardskins	Logo Lock-On	
Seat Post	KS	LEV Integra 31.6 150 L435 with KGP remote	
Saddle	Ibis	Ibis Proprietary Saddle	VL-1376
Wheels	Ibis	741 Wheelset	
Tires (front)	Maxxis	27.5 x 2.30 Minion DHF F60 3C/EXO TR	TB85925200
Tires (Rear)	Maxxis	27.5 x 2.30 Minion DHF F60 3C/EXO TR	TB85925200
Tubes	Stan's	2 x 2 oz bottles of Stan's Sealant	KT0043
Tubes			
Fork	Fox	2015 36 K Float 27.5 F-S 160 RC2 Fit Blk Rainbow Logo 15QR 1.5T 44 Rake OE	910-03-804
Shock	Cane Creek	CAD 1225 - DBair InLine CS 200x57 (7.875 x 2.25)	CAD 1225

Item:	Supplier:	Description:	MPN:
Rear Derailleur	Shimano	RD-M9000, XTR, GS 11-SPEED TOP-NORMAL SHADOW PLUS DESIGN, DIRECT ATTACHMENT	KRDM9000GS
Front Derailleur			
Shift Levers			
Shift Levers	Shimano	SL-M9000-I, XTR, RIGHT, DIRECT ATTACH TO BL (I-Spec II), 11-SPEED, 2050MM INNER, W/O OPTICAL GEAR DISPLAY	KSLM9000IRA
SL Adapter	Shimano	N/A	
Cassette	Shimano	CS-M9000, XTR, 11-SPEED, 11-13-15-17-19-21-24-27-31-35-40	KCSM9000140
Chain	Shimano	CN-HG900-11, FOR 11-SPEED (ROAD/MTB COMPATIBLE), 116 LINKS, W/O END PIN, W/AMPOULE TYPE CONNECT PIN X2, IND.PACK	ICNHG90011116
Brakes	Shimano	BL-M785-B-L(L), BR-M785L(F) FOR POST MOUNT METAL PAD(W/FIN),SMBH90SB 800MM(BLACK) W/ OLIVE/CONNECTING INSERT, BLACK	KM785BMFPNX080
Brakes	Shimano	ROTOR FOR DISC-BRAKE, SM-RT86, M 180MM 6-BOLT TYPE	KSMRT86M2
Brakes	Shimano	BL-M785L(R), BR-M785L(R) W/O ADAPTER METAL PAD(W/FIN),SMBH90SB 1500MM(BLACK) ADD OLIVE/CONNECTING INSERT, BLACK	KM785BSRXNX150
Brakes	Shimano	ROTOR FOR DISC-BRAKE, SM-RT86, S 160MM 6-BOLT TYPE	KSMRT86S2
Brakes	Shimano	ADAPTER FOR DISC BRAKE, SM-MA90-F180P/P, FIXING BOLT(LONG X1, SHORT X1), WIRE X1, WASHER-A X2, WASHER-B X2	KSMMA90F180PP
Housing	Jagwire	Derailleur Cable Housing Kit	PQ-970721-01
Headset	Cane Creek	Cane Creek 40.ZS44/ZS56 Headset	CAA0533K-03
Cranks	Race Face	Turbine Cinch DM30 175 Blk 10/11 Spd	OCK14TURDM30175BLK
Bottom Bracket	Race Face	Race Face BSA Threaded BB	OBBSA7330B6
H/Bar	Ibis	Ibis Carbon Handlebar - 740mm width Hi-Fi (riser) or Lo-Fi (Flat) 9°x5°	
Stem	Thomson	Thomson 40	SM-E174 BLACK
Grips	Lizardskins	Logo Lock-On	
Seat Post	KS	LEV Integra 31.6 150 L435 with KGP remote	
Saddle	Ibis	Ibis Proprietary Saddle	VL-1376
Wheels	STA-TRU	ZTR Flow 650b Rim 32H Black	PR65Flow542
Tires (front)	Maxxis	27.5 x 2.30 Minion DHF F60 3C/EXO TR	TB85925200
Tires (Rear)	Maxxis	27.5 x 2.30 Minion DHF F60 3C/EXO TR	TB85925200
Tubes	Stan's	2 x 2 oz bottles of Stan's Sealant	KT0043
Tubes			
Fork	Rock Shox	FS PIKE RCT3 27 15 SA 150 BLK T CRN	00.4018.270.029
Shock	Fox	2015, FLOAT-K F-S, CTD-Adj BV LV, Ibis, Mojo B, 7.875, 2.250, 0.9 Spacer, VTM, RTM, 175, 16	972-70-016

Item:	Supplier:	Description:	MPN:
Rear Derailleur	Shimano	RD-M9000, XTR, GS 11-SPEED TOP-NORMAL SHADOW PLUS DESIGN, DIRECT ATTACHMENT	KRDM9000GS
Front Derailleur			
Shift Levers			
Shift Levers	Shimano	SL-M9000-I, XTR, RIGHT, DIRECT ATTACH TO BL (I-Spec II), 11-SPEED, 2050MM INNER, W/O OPTICAL GEAR DISPLAY	KSLM9000IRA
SL Adapter	Shimano	N/A	
Cassette	Shimano	CS-M9000, XTR, 11-SPEED, 11-13-15-17-19-21-24-27-31-35-40	KCSM9000140
Chain	Shimano	CN-HG900-11, FOR 11-SPEED (ROAD/MTB COMPATIBLE), 116 LINKS, W/O END PIN, W/AMPOULE TYPE CONNECT PIN X2, IND.PACK	ICNHG90011116
Brakes	Shimano	BL-M785-B-L(L), BR-M785L(F) FOR POST MOUNT METAL PAD(W/FIN),SMBH90SB 800MM(BLACK) W/ OLIVE/CONNECTING INSERT, BLACK	KM785BMFPNX080
Brakes	Shimano	ROTOR FOR DISC-BRAKE, SM-RT86, M 180MM 6-BOLT TYPE	KSMRT86M2
Brakes	Shimano	BL-M785L(R), BR-M785L(R) W/O ADAPTER METAL PAD(W/FIN),SMBH90SB 1500MM(BLACK) ADD OLIVE/CONNECTING INSERT, BLACK	KM785BSRXNX150
Brakes	Shimano	ROTOR FOR DISC-BRAKE, SM-RT86, S 160MM 6-BOLT TYPE	KSMRT86S2
Brakes	Shimano	ADAPTER FOR DISC BRAKE, SM-MA90-F180P/P, FIXING BOLT(LONG X1, SHORT X1), WIRE X1, WASHER-A X2, WASHER-B X2	KSMMA90F180PP
Housing	Jagwire	Derailleur Cable Housing Kit	PQ-970721-01
Headset	Cane Creek	Cane Creek 40.ZS44/ZS56 Headset	CAA0533K-03
Cranks	Race Face	Turbine Cinch DM30 175 Blk 10/11 Spd	OCK14TURDM30175BLK
Bottom Bracket	Race Face	Race Face BSA Threaded BB	OBBSA7330B6
H/Bar	Ibis	Ibis Carbon Handlebar - 740mm width Hi-Fi (riser) or Lo-Fi (Flat) 9°x5°	
Stem	Thomson	Thomson 40	SM-E174 BLACK
Grips	Lizardskins	Logo Lock-On	
Seat Post	KS	LEV Integra 31.6 150 L435 with KGP remote	
Saddle	Ibis	Ibis Proprietary Saddle	VL-1376
Wheels	Ibis	741 Wheelset	
Tires (front)	Maxxis	27.5 x 2.30 Minion DHF F60 3C/EXO TR	TB85925200
Tires (Rear)	Maxxis	27.5 x 2.30 Minion DHF F60 3C/EXO TR	TB85925200
Tubes	Stan's	2 x 2 oz bottles of Stan's Sealant	KT0043
Tubes			
Fork	Fox	2015 36 K Float 27.5 F-S 160 RC2 Fit Blk Rainbow Logo 15QR 1.5T 44 Rake OE	910-03-804
Shock	Cane Creek	CAD 1225 - DBair InLine CS 200x57 (7.875 x 2.25)	CAD 1225

Item:	Supplier:	Description:	MPN:
Rear Derailleur	SRAM	'REAR DERAILEUR XX1 RED	'00.7518.008.000
Front Derailleur			
Shift Levers			
Shift Levers	SRAM	'XX1 TRIGGER 11 SPEED RED	00.7018.007.000
SL Adapter	SRAM	'SL X0 TRIGGER DISCRETE CLAMP	'11.7015.064.000
Cassette	SRAM	'XG 1199 10-42	'00.2418.000.000
Chain	SRAM	'Chain PC XX1, 114 Links with Power Lock, 11 speed	'00.2518.000.002
Brakes	Shimano	XTR, BL-M988-B(L) BR-M985(F) FOR POST MOUNT, METAL PAD(W/FIN), W/O ROTOR, SM-BH90-SB 1000MM ADD OLIVE/CONNECTING INSERT	KM988BLFPNA100
Brakes	Shimano	ROTOR FOR DISC-BRAKE, SM-RT86, M 180MM 6-BOLT TYPE	KSMRT86M2
Brakes	Shimano	XTR, BL-M988-B(R) BR-M985(R) W/O ADAPTER, METAL PAD (W/FIN), W/O ROTOR, SM-BH90-SB 1700MM ADD OLIVE/CONNECTING INSERT	KM988BRRXNA170
Brakes	Shimano	ROTOR FOR DISC-BRAKE, SM-RT86, S 160MM 6-BOLT TYPE	KSMRT86S2
Brakes	Shimano	ADAPTER FOR DISC BRAKE, SM-MA90-F180P/P, FIXING BOLT(LONG X1, SHORT X1), WIRE X1, WASHER-A X2, WASHER-B X2	KSMMA90F180PP
Housing	Jagwire	Derailleur Cable Housing Kit	PQ-970721-01
Headset	Cane Creek	Cane Creek 40.ZS44/ZS56 Headset	CAA0533K-03
Cranks	Race Face	CRANK,NEXT SL,DM32,175,BLK,10/11 SPD	OCK14NXSLDM32175BLK
Bottom Bracket	Race Face	BOTTOM BRACKET: OBB419230B7 = BB92 / OBBBSA7330B6 = BSA	
H/Bar	Ibis	Ibis Carbon Handlebar - 740mm width Hi-Fi (riser) or Lo-Fi (Flat) 9°x5°	
Stem	Thomson	Thomson 40	SM-E174 BLACK
Grips	Lizardskins	Logo Lock-On	
Seat Post	KS	LEV Integra 31.6 150 L435 with KGP remote	
Saddle	Ibis	Ibis Proprietary Saddle	VL-1376
Wheels	Ibis	Ibis 741 wheels with DT 350 hubs	
Tires (front)	Maxxis	27.5 x 2.30 Minion DHF F60 3C/EXO TR	TB85925200
Tires (Rear)	Maxxis	27.5 x 2.30 Minion DHF F60 3C/EXO TR	TB85925200
Tubes	Stan's	2 x 2 oz bottles of Stan's Sealant	KT0043
Tubes			
Fork	Fox	2015 36 K Float 27.5 F-S 160 RC2 Fit Blk Rainbow Logo 15QR 1.5T 44 Rake OE	910-03-804
Shock	Cane Creek	CAD 1225 - DBair InLine CS 200x57 (7.875 x 2.25)	CAD 1225

Item:	Supplier:	Description:	MPN:
Rear Derailleur	Shimano	RD-M9000, XTR, SGS 11-SPD TOP-NORMAL SHADOW+, DIRECT ATTACHMENT	KRDM9000SGS
Front Derailleur	Shimano	FD-M981-D-T, XTR DOWN-SWING, TOP-PULL, DIRECT MOUNT TYPE, CS-ANGLE:66-69, FOR 42T, FOR CHAIN LINE:50MM	KFDM981TD6
Shift Levers	Shimano	SL-M9000-I, XTR, LEFT, DIRECT ATTACH TO BL (I-Spec II), 2/3-SPEED,1800MM INNER, W/O OPTICAL GEAR DISPLAY	KSLM9000ILB
Shift Levers	Shimano	SL-M9000-I, XTR, RIGHT, DIRECT ATTACH TO BL (I-Spec II), 11-SPEED, 2050MM INNER, W/O OPTICAL GEAR DISPLAY	KSLM9000IRA
SL Adapter	Shimano	N/A	
Cassette	Shimano	CS-M9000, XTR, 11-SPEED, 11-13-15-17-19-21-24-27-31-35-40	KCSM9000140
Chain	Shimano	CN-HG900-11, FOR 11-SPEED (ROAD/MTB COMPATIBLE), 116 LINKS, W/O END PIN, W/AMPOULE TYPE CONNECT PIN X2, IND.PACK	ICNHG90011116
Brakes	Shimano	BL-M9020(L)BR-M9020(F) W/SM-MA90-F180P/P(WIRE), METAL PAD(W/FIN), SM-BH90-SBM 800MM	KM9020LFCNX080
Brakes	Shimano	ROTOR FOR DISC-BRAKE, SM-RT86, M 180MM 6-BOLT TYPE	KSMRT86M2
Brakes	Shimano	BL-M9020(R) BR-M9020(R) W/O ADAPTER (WIRE), METAL PAD(W/FIN), SM-BH90-SBM 1500MM	KM9020RRXNX150
Brakes	Shimano	ROTOR FOR DISC-BRAKE, SM-RT86, S 160MM 6-BOLT TYPE	KSMRT86S2
Brakes	Shimano	ADAPTER FOR DISC BRAKE, SM-MA90-F180P/P, FIXING BOLT(LONG X1, SHORT X1), WIRE X1, WASHER-A X2, WASHER-B X2	KSMMA90F180PP
Housing	Jagwire	Derailleur Cable Housing Kit	PQ-970721-01
Headset	Cane Creek	Cane Creek 40.ZS44/ZS56 Headset	CAA0533K-03
Cranks	Shimano	FC-M9020-2, XTR, HOLLOWTECH 2, FOR REAR 11-SPEED, 175MM, 34X24T, W/O BB PARTS, FOR CHAIN LINE 48.8MM	KFCM9020EX44
Bottom Bracket	Shimano	SM-BB93, RIGHT & LEFT ADAPTER(BSA), BEARING, INNER COVER, ETC, W/TL-FC24	KSMBB93B
H/Bar	Ibis	Ibis Carbon Handlebar - 740mm width Hi-Fi (riser) or Lo-Fi (Flat) 9°x5°	
Stem	Thomson	Thomson 40	SM-E174 BLACK
Grips	LizardSkins	Logo Lock-On	
Seat Post	KS	LEV Integra 31.6 150 L435 with KGP remote	
Saddle	Ibis	Ibis Proprietary Saddle	VL-1376
Wheels	Ibis	Ibis 741 wheels with DT 350 hubs	
Tires (front)	Maxxis	27.5 x 2.30 Minion DHF F60 3C/EXO TR	TB85925200
Tires (Rear)	Maxxis	27.5 x 2.30 Minion DHF F60 3C/EXO TR	TB85925200
Tubes	Stan's	2 x 2 oz bottles of Stan's Sealant	KT0043
Tubes			
Fork	Fox	2015 36 K Float 27.5 F-S 160 RC2 Fit Blk Rainbow Logo 15QR 1.5T 44 Rake OE	910-03-804
Shock	Cane Creek	CAD 1225 - DBair InLine CS 200x57 (7.875 x 2.25)	CAD 1225